

Alfaxan & Alfaxan Multidose 10mg/ml Solution for Injection – Product defect recall alert

Body: We wish to make wholesalers and veterinary surgeons aware that Jurox UK has issued a recall for identified batches of 10 ml Alfaxan and Alfaxan Multidose 10 mg/ml Solution for Injection. This recall is because particulates have been found in identified batches of product during routine stability testing program.

This only affects the batches mentioned below:

Batch No.	Description	Vm Number	Pack size	Expiry
55523	Alfaxan Multidose 10 mg/ml Solution for injection for dogs, cats and pet rabbits	Vm 25296/4004	10 ml	16 Apr 2021
48317	Alfaxan 10 mg/ml Solution for injection for dogs, cats and pet rabbits	Vm 25296/4003	10 ml	22 Jan 2023
62816	Alfaxan 10 mg/ml Solution for injection for dogs, cats and pet rabbits	Vm 25296/4003	10 ml	16 Jul 2023

Jurox UK Ltd is contacting wholesale dealers and veterinary surgeons to examine inventory immediately and quarantine products subject to this recall. We would like to stress that this issue only applies to the batches listed above. All other batches and the 20 ml pack size are not affected.

For further information regarding the recall, please contact Mr Richard Beckwith on 07584 099536 or alternatively by email to richard.beckwith@jurox.co.uk