

[Suspicious mobile application related to Bank of Singapore Limited](#)

The following is issued on behalf of the Hong Kong Monetary Authority:

The Hong Kong Monetary Authority (HKMA) wishes to alert members of the public to a press release issued by Bank of Singapore Limited on suspicious application (App), which has been reported to the HKMA. Hyperlink to the press release is available on [the HKMA website](#) for ease of reference by members of the public.

Anyone who has provided his or her personal information to the App concerned or has conducted any financial transactions through the App should contact the bank concerned using the contact information provided in the press release, and report to the Police or contact the Cyber Security and Technology Crime Bureau of the Hong Kong Police Force at 2860 5012.

[Smart Driving Bus Parade 2018 to be held tomorrow](#)

The following is issued on behalf of the Road Safety Council:

The Road Safety Council (RSC), Traffic Kowloon West Headquarters of the Hong Kong Police Force and the Hong Kong Road Safety Patrol (Kowloon West Region) will jointly hold the Smart Driving Bus Parade 2018 at 6.30pm tomorrow (December 5), starting at the Hong Kong Cultural Centre's Piazza C. Members of the public are welcome to participate.

The event will be officiated by the Chairlady of the Road Safety Campaign Committee of the RSC, Ms Rebecca Ma; the Acting Senior Superintendent of Police, Traffic Kowloon West, Hong Kong Police Force, Mr Chung Hung-yip; the Regional Commander, Kowloon West of the Hong Kong Road Safety Patrol, Mr Gavin Lam; the Chairman of the Yau Tsim Mong Road Safety Campaign Organising Committee, Mr Paul Law; the Chairman of the Sham Shui Po Road Safety Campaign Committee, Mr Wong Kam-choi; the Vice Chairman of the Kowloon City Road Safety Campaign Committee, Mr Sunny Chung; and the Promotion Officer Kowloon West of the Hong Kong Road Safety Patrol, Ms Tse Suet-sum.

A Mobile Breath Test Centre and police motorcycles will be exhibited at the venue from 5pm. After an opening ceremony, the guests will take an open-top bus through the Tsim Sha Tsui area to distribute road safety leaflets in

order to deliver the "No Drug and No Drink Driving" message to road users.

Extension of time for Commission of Inquiry to submit report

The Chief Executive in Council approved today (December 4), at the request of the Commission of Inquiry into the Diaphragm Wall and Platform Slab Construction Works at the Hung Hom Station Extension under the Shatin to Central Link Project, an extension of time for the Commission to submit its report to the Chief Executive by February 26, 2019.

The Commission was appointed by the Chief Executive in Council on July 10, 2018, with Mr Michael Hartmann as Chairman and Commissioner and Professor Peter Hansford as Commissioner. It is required to report its findings and recommendations to the Chief Executive within six months from the date of appointment, i.e. by January 9, 2019, or such time as the Chief Executive in Council may allow. In view of the extensive scope of the inquiry, the complexity of the matters under examination and the large number of witnesses involved, the Commission sought an extension of time to consider the evidence and complete its report. Based on its latest work progress, the Commission expects to finish hearing all evidence and the closing addresses by involved parties by late January 2019. The Commission will then proceed to finalise its report.

The Commission is tasked to inquire into the steel reinforcement fixing works and any other works which raise concerns about public safety in respect of the diaphragm wall and platform slab construction works at the Hung Hom Station Extension under the Shatin to Central Link Project implemented by the MTR Corporation Limited. It will also make recommendations on suitable measures with a view to promoting public safety and assurance on the quality of works. The terms of reference of the Commission are in the Annex.

Appeal for information on missing woman in Tin Sum (with photo)

Police today (December 4) appealed to the public for information on a woman who went missing in Tin Sum.

Lo Lai-chun, aged 86, went missing after she left Prince of Wales

Hospital yesterday (December 3) morning. Her family made a report to Police on the same day.

She is about 1.5 metres tall, 45 kilograms in weight and of thin build. She has a long face with yellow complexion and short greyish white hair. She was last seen wearing a light blue long-sleeved jacket, a dark grey long-sleeved T-shirt, black trousers and black leather shoes.

Anyone who knows the whereabouts of the missing woman or may have seen her is urged to contact the Regional Missing Person Unit of New Territories South on 3661 1176 or 5613 6963 or email to rmpu-nts-2@police.gov.hk, or contact any police station.



Electronics factory at Siu Lek Yuen in Sha Tin convicted again for excessive industrial wastewater discharge

Compass Technology Company Limited, located at Chiaphua Industries Building in Siu Lek Yuen, Sha Tin, was caught again for discharging excessive industrial wastewater into a communal sewer. It was fined \$10,000 by Fanling Magistrates' Courts today (December 4) for contravening the Water Pollution Control Ordinance (WPCO). The company committed the same offence in December last year and was convicted and fined \$15,000 in June.

The Environmental Protection Department (EPD) spokesman said that enforcement officers conducted a follow-up inspection at the above factory in July this year and found that the concentration of copper in the industrial

wastewater discharged from the factory still exceeded the WPCO licence by 2.3 times. After investigation and evidence gathering, the EPD initiated prosecution against the company again in accordance with the WPCO.

The spokesman explained that electronic component manufacturing factories will generate wastewater with heavy metal. Factories must install appropriate wastewater treatment facilities and maintain their effective operation to ensure that the effluent discharge meets the discharge standards as set out in the wastewater discharge licence before discharging into communal sewers. If its heavy metals concentration exceeds the standards, it will affect the operation and effectiveness of microbial treatment processes in sewage treatment plants, which will pollute the environment.

The EPD reminded all WPCO licensees that they should strictly adhere to the discharge standards of all pollutants as stipulated in the licence, and ensure proper operation of their wastewater treatment facilities. Anyone who discharges wastewater which exceeds the standard of the discharge licence commits an offence. Offenders are liable to a maximum fine of \$200,000 and six months' imprisonment.