

Government enforces "restriction-testing declaration" and compulsory testing notice in respect of specified "restricted area" in Sai Ying Pun

The Government yesterday (February 4) exercised the power under the Prevention and Control of Disease (Compulsory Testing for Certain Persons) Regulation (Cap. 599J) to make a "restriction-testing declaration" effective from 7pm yesterday, under which people (hereafter referred to as "persons subject to compulsory testing") within the specified "restricted area" in Sai Ying Pun (i.e. Tower 1, Yuk Ming Towers, 208 Third Street, Sai Ying Pun) were required to stay in their premises and undergo compulsory testing. Persons subject to compulsory testing are required to stay in their premises until all such persons identified in the "restricted area" have undergone testing and the test results are mostly ascertained. In addition, the Government had issued a compulsory testing notice yesterday to any person who had been present at the building for more than two hours from January 26, 2022 to February 4, 2022 to undergo compulsory testing on or before February 6, 2022 even if they were not present in the "restricted area" at the time when the declaration took effect. The Government finished the compulsory testing exercise at around 7am today (February 5) and is now carrying out enforcement actions in the "restricted area" to verify that all people in the "restricted area" have undergone compulsory testing. The Government will further announce the revocation time of the declaration.

Starting from around 7am today, persons in the "restricted area" in Sai Ying Pun who have undergone testing and are able to present SMS notifications with negative test results or wear wristbands as proof of having undergone testing may leave the "restricted area" through the designated exit after providing personal information to a prescribed officer.

The Government arranged dedicated staff to collect samples through combined nasal and throat swabs at the "restricted area" yesterday and requested persons subject to compulsory testing to undergo testing before 11pm yesterday. As at 11pm yesterday, around 390 people within the area had undergone testing. No cases tested positive were found.

Moreover, the Government also assigned staff to visit around 160 households, among which around 20 households did not answer the door. Those may include some households undergoing quarantine or isolation. Some units are possibly vacant as well. The Government does not have detailed information in this respect and will take measures to follow up.

The Government also understands that some residents already underwent testing at the mobile specimen collection stations set up in the district or by other means yesterday. Therefore, persons in the "restricted area" who

have undergone testing yesterday, and are able to provide the SMS notification through mobile phone or related certification containing the test results, are not required to take the test again.

The Government reiterates that enforcement actions will be taken seriously. Any person who fails to present an SMS notification with a test result or wear a wristband as proof of having undergone testing breaches the compulsory testing notice and may be liable to a fine of \$5,000. The person will also be issued with a compulsory testing order, requiring him/her to undergo testing within a specified time frame. Failure to comply with the compulsory testing order or the "restriction-testing declaration" is an offence and the offender may be liable to a fine of level 4 (\$25,000) and imprisonment for six months.

Government enforces "restriction-testing declaration" and compulsory testing notice in respect of specified "restricted area" in Sai Ying Pun

The Government yesterday (February 4) exercised the power under the Prevention and Control of Disease (Compulsory Testing for Certain Persons) Regulation (Cap. 599J) to make a "restriction-testing declaration" effective from 7pm yesterday, under which people (hereafter referred to as "persons subject to compulsory testing") within the specified "restricted area" in Sai Ying Pun (i.e. Tower 1, Yuk Ming Towers, 208 Third Street, Sai Ying Pun) were required to stay in their premises and undergo compulsory testing. Persons subject to compulsory testing are required to stay in their premises until all such persons identified in the "restricted area" have undergone testing and the test results are mostly ascertained. In addition, the Government had issued a compulsory testing notice yesterday to any person who had been present at the building for more than two hours from January 26, 2022 to February 4, 2022 to undergo compulsory testing on or before February 6, 2022 even if they were not present in the "restricted area" at the time when the declaration took effect. The Government finished the compulsory testing exercise at around 7am today (February 5) and is now carrying out enforcement actions in the "restricted area" to verify that all people in the "restricted area" have undergone compulsory testing. The Government will further announce the revocation time of the declaration.

Starting from around 7am today, persons in the "restricted area" in Sai Ying Pun who have undergone testing and are able to present SMS notifications with negative test results or wear wristbands as proof of having undergone testing may leave the "restricted area" through the designated exit after

providing personal information to a prescribed officer.

The Government arranged dedicated staff to collect samples through combined nasal and throat swabs at the "restricted area" yesterday and requested persons subject to compulsory testing to undergo testing before 11pm yesterday. As at 11pm yesterday, around 390 people within the area had undergone testing. No cases tested positive were found.

Moreover, the Government also assigned staff to visit around 160 households, among which around 20 households did not answer the door. Those may include some households undergoing quarantine or isolation. Some units are possibly vacant as well. The Government does not have detailed information in this respect and will take measures to follow up.

The Government also understands that some residents already underwent testing at the mobile specimen collection stations set up in the district or by other means yesterday. Therefore, persons in the "restricted area" who have undergone testing yesterday, and are able to provide the SMS notification through mobile phone or related certification containing the test results, are not required to take the test again.

The Government reiterates that enforcement actions will be taken seriously. Any person who fails to present an SMS notification with a test result or wear a wristband as proof of having undergone testing breaches the compulsory testing notice and may be liable to a fine of \$5,000. The person will also be issued with a compulsory testing order, requiring him/her to undergo testing within a specified time frame. Failure to comply with the compulsory testing order or the "restriction-testing declaration" is an offence and the offender may be liable to a fine of level 4 (\$25,000) and imprisonment for six months.

[CHP reminds public on precautions against cold weather](#)

The Centre for Health Protection (CHP) of the Department of Health (DH) today (February 5) reminded the public, particularly the elderly and people with chronic illnesses, to adopt appropriate measures to protect their health in view of the cold weather.

A spokesman for the CHP said that cold weather can easily trigger or exacerbate diseases, especially among the elderly and persons suffering from heart disease, respiratory illness or other chronic illnesses.

"Elderly people have less insulating fat beneath their skin to keep them warm and their body temperature control mechanism may be weaker. Their body

may not be able to appropriately respond to the cold weather," the spokesman said.

Some senior persons may have decreased mobility, which can in turn slow down their ability to generate and conserve body heat. Chronic illnesses, such as hypertension, diabetes and endocrine disorders, may undermine the health of elderly people and lower their metabolic rate, subsequently causing their body to generate less heat.

The CHP reminded the public, in particular the elderly and persons with chronic illnesses, to adopt the following preventive measures:

- Take note of the weather forecast. Wear warm clothing, including hats, scarves, gloves and socks accordingly;
- Consume sufficient food to ensure adequate calorie intake;
- Perform regular exercise to facilitate blood circulation and heat production;
- Stay in a warm environment and avoid prolonged outdoor exposure;
- Use heaters with care, and maintain adequate indoor ventilation; and
- Seek medical advice if feeling unwell.

In addition, the public should avoid alcoholic beverages.

"Drinking alcohol cannot keep you warm. Alcohol accelerates the loss of body heat through dilated blood vessels, resulting in chilling instead," the spokesman said.

"Parents should ensure that babies are sufficiently warm, but it is also important to keep babies lightly clothed to avoid overheating them," the spokesman added.

Parents should observe the following safety measures when putting their children to bed:

- Keep the room well ventilated and at a comfortable temperature;
- Always place babies on their back to sleep. Leave their head, face and arms uncovered during sleep;
- Babies do not need pillows. Place babies on a firm and well-fitted mattress to sleep. Avoid soft objects, pillows and loose bedding;
- Let babies sleep in a cot placed in the parents' room and near their bed; and
- Maintain a smoke-free environment.

In addition, seasonal influenza vaccination is recommended for all persons aged 6 months or above except those with known contraindications. Persons at higher risk of getting influenza and its complications, including the elderly and children, should receive seasonal influenza vaccination early. Please see details of the vaccination schemes on the [CHP's website](#).

A person who gets influenza and COVID-19 at the same time may be more

seriously ill and would have a higher risk of death. Influenza vaccination may reduce the likelihood of hospitalisation and the length of stay. It is important to receive both seasonal influenza vaccination and COVID-19 vaccination as soon as possible, in particular for elderly persons residing in the community or residential care homes. The public should also maintain good personal and environmental hygiene against respiratory illnesses and note the following:

- Surgical masks can prevent transmission of respiratory viruses from ill persons. It is essential for persons who are symptomatic (even if having mild symptoms) to wear a surgical mask;
- Wear a surgical mask when taking public transport or staying in crowded places. It is important to wear a mask properly, including performing hand hygiene before wearing and after removing a mask;
- Avoid touching one's eyes, mouth and nose;
- Wash hands with liquid soap and water properly whenever possibly contaminated;
- When hands are not visibly soiled, clean them with 70 to 80 per cent alcohol-based handrub;
- Cover the mouth and nose with tissue paper when sneezing or coughing. Dispose of soiled tissue paper properly into a lidded rubbish bin, and wash hands thoroughly afterwards;
- Maintain good indoor ventilation;
- When having respiratory symptoms, wear a surgical mask, refrain from work or attending classes at school, avoid going to crowded places and seek medical advice promptly; and
- Maintain a balanced diet, exercise regularly, take adequate rest, do not smoke and avoid overstress.

Food-borne diseases, particularly those linked to hot pot cuisine, are also common in cold weather. The following preventive measures should be taken:

- Wash hands before handling and consuming food;
- Do not patronise unlicensed vendors or those with poor hygienic standards while selecting food;
- Wash and cook all food thoroughly;
- Vegetables should be washed thoroughly in clean running water before cooking and consumption. When appropriate, scrub vegetables with hard surfaces with a clean brush to remove dirt and substances, including pesticide residues and contaminants, from the surface and crevices;
- Shrimps should be fully cooked until the shells turn red and the flesh turns white and opaque;
- For shellfish like scallops and geoduck, scrub the shells thoroughly and remove internal organs;
- Most hot pot ingredients should be stored in a refrigerator at 4 degrees Celsius or below, while frozen food should be stored in a freezer at -18 degrees C or below;

- Never use raw eggs as a dipping sauce for hot pot; and
- Use different sets of chopsticks to handle raw and cooked food to avoid cross-contamination.

In addition, the public should not use charcoal as a cooking fuel in poorly ventilated areas, especially indoors, to avoid harmful exposure to carbon monoxide (CO) and prevent CO poisoning. While using other kinds of fuel, the public should also ensure adequate ventilation.

For more health information, the public may call the DH's Health Education Infoline (2833 0111) or visit the [CHP's website](#) and [Facebook Fanpage](#).

The public may also call Dial-a-Weather (1878 200) or visit the [website of the Hong Kong Observatory](#) for the latest weather information and forecast, or its [page on Weather Information for Senior Citizens](#).

[CHP reminds public on precautions against cold weather](#)

The Centre for Health Protection (CHP) of the Department of Health (DH) today (February 5) reminded the public, particularly the elderly and people with chronic illnesses, to adopt appropriate measures to protect their health in view of the cold weather.

A spokesman for the CHP said that cold weather can easily trigger or exacerbate diseases, especially among the elderly and persons suffering from heart disease, respiratory illness or other chronic illnesses.

"Elderly people have less insulating fat beneath their skin to keep them warm and their body temperature control mechanism may be weaker. Their body may not be able to appropriately respond to the cold weather," the spokesman said.

Some senior persons may have decreased mobility, which can in turn slow down their ability to generate and conserve body heat. Chronic illnesses, such as hypertension, diabetes and endocrine disorders, may undermine the health of elderly people and lower their metabolic rate, subsequently causing their body to generate less heat.

The CHP reminded the public, in particular the elderly and persons with chronic illnesses, to adopt the following preventive measures:

- Take note of the weather forecast. Wear warm clothing, including hats, scarves, gloves and socks accordingly;

- Consume sufficient food to ensure adequate calorie intake;
- Perform regular exercise to facilitate blood circulation and heat production;
- Stay in a warm environment and avoid prolonged outdoor exposure;
- Use heaters with care, and maintain adequate indoor ventilation; and
- Seek medical advice if feeling unwell.

In addition, the public should avoid alcoholic beverages.

"Drinking alcohol cannot keep you warm. Alcohol accelerates the loss of body heat through dilated blood vessels, resulting in chilling instead," the spokesman said.

"Parents should ensure that babies are sufficiently warm, but it is also important to keep babies lightly clothed to avoid overheating them," the spokesman added.

Parents should observe the following safety measures when putting their children to bed:

- Keep the room well ventilated and at a comfortable temperature;
- Always place babies on their back to sleep. Leave their head, face and arms uncovered during sleep;
- Babies do not need pillows. Place babies on a firm and well-fitted mattress to sleep. Avoid soft objects, pillows and loose bedding;
- Let babies sleep in a cot placed in the parents' room and near their bed; and
- Maintain a smoke-free environment.

In addition, seasonal influenza vaccination is recommended for all persons aged 6 months or above except those with known contraindications. Persons at higher risk of getting influenza and its complications, including the elderly and children, should receive seasonal influenza vaccination early. Please see details of the vaccination schemes on the [CHP's website](#).

A person who gets influenza and COVID-19 at the same time may be more seriously ill and would have a higher risk of death. Influenza vaccination may reduce the likelihood of hospitalisation and the length of stay. It is important to receive both seasonal influenza vaccination and COVID-19 vaccination as soon as possible, in particular for elderly persons residing in the community or residential care homes. The public should also maintain good personal and environmental hygiene against respiratory illnesses and note the following:

- Surgical masks can prevent transmission of respiratory viruses from ill persons. It is essential for persons who are symptomatic (even if having mild symptoms) to wear a surgical mask;
- Wear a surgical mask when taking public transport or staying in crowded places. It is important to wear a mask properly, including performing hand hygiene before wearing and after removing a mask;

- Avoid touching one's eyes, mouth and nose;
- Wash hands with liquid soap and water properly whenever possibly contaminated;
- When hands are not visibly soiled, clean them with 70 to 80 per cent alcohol-based handrub;
- Cover the mouth and nose with tissue paper when sneezing or coughing. Dispose of soiled tissue paper properly into a lidded rubbish bin, and wash hands thoroughly afterwards;
- Maintain good indoor ventilation;
- When having respiratory symptoms, wear a surgical mask, refrain from work or attending classes at school, avoid going to crowded places and seek medical advice promptly; and
- Maintain a balanced diet, exercise regularly, take adequate rest, do not smoke and avoid overstress.

Food-borne diseases, particularly those linked to hot pot cuisine, are also common in cold weather. The following preventive measures should be taken:

- Wash hands before handling and consuming food;
- Do not patronise unlicensed vendors or those with poor hygienic standards while selecting food;
- Wash and cook all food thoroughly;
- Vegetables should be washed thoroughly in clean running water before cooking and consumption. When appropriate, scrub vegetables with hard surfaces with a clean brush to remove dirt and substances, including pesticide residues and contaminants, from the surface and crevices;
- Shrimps should be fully cooked until the shells turn red and the flesh turns white and opaque;
- For shellfish like scallops and geoduck, scrub the shells thoroughly and remove internal organs;
- Most hot pot ingredients should be stored in a refrigerator at 4 degrees Celsius or below, while frozen food should be stored in a freezer at -18 degrees C or below;
- Never use raw eggs as a dipping sauce for hot pot; and
- Use different sets of chopsticks to handle raw and cooked food to avoid cross-contamination.

In addition, the public should not use charcoal as a cooking fuel in poorly ventilated areas, especially indoors, to avoid harmful exposure to carbon monoxide (CO) and prevent CO poisoning. While using other kinds of fuel, the public should also ensure adequate ventilation.

For more health information, the public may call the DH's Health Education Infoline (2833 0111) or visit the [CHP's website](#) and [Facebook Fanpage](#).

The public may also call Dial-a-Weather (1878 200) or visit the [website of the Hong Kong Observatory](#) for the latest weather information and forecast, or its [page on Weather Information for Senior Citizens](#).

Employers and employees should take precautions during cold weather

Attention duty announcers, radio and TV stations:

Please broadcast the following special announcement immediately, and repeat it at frequent intervals when the Cold Weather Warning is in force:

The Labour Department reminds employers that as the Cold Weather Warning is in force, they should take appropriate precautions such as reminding employees who have to work outdoors or in remote areas to wear appropriately warm clothing, and make arrangements for employees to rotate from outdoor to indoor or sheltered work sites as far as possible. Employees should take note of the weather report, wear appropriately warm clothing and be mindful of their health conditions. They should notify their supervisors and seek medical help immediately if feeling unwell, such as having cold limbs and body shivering.