# <u>Detailed guide: Import or export wood</u> <u>packaging material</u>

If you import any goods using wood packaging material (WPM), you need to be aware of the requirements for landing them in Great Britain (England, Scotland and Wales). (Separate but similar arrangements apply in Northern Ireland, the Channel Islands and the Isle of Man.) This is because wood packaging material is a known pathway for the introduction of harmful tree and forestry pests and diseases.

### WPM includes:

- packing cases
- boxes
- crates
- drums and similar containers
- pallets, box pallets, pallet collars and other load boards

The GB landing requirements for goods from Third Countries — non-EU Member States (except Switzerland, treated as an EU Member State) — are relatively straight forward. The rules are based on the International Standard for Phytosanitary Measures number 15 (ISPM15:2018)1.

ISPM15 applies to timber sourced from all species of tree and used to manufacture solid wood packaging materials, although certain wood product types are exempt. (See the rules about exemptions below.)

Different, less stringent landing requirements apply to WPM originating in EU Member States, except Portugal and certain areas of Spain— see below for detailed information. The specific landing requirements for different consignor countries are explained below.

# WPM imports from Third Countries (except Switzerland)

Wood packaging material may only be imported into Great Britain from Third Countries if they meet these requirements:

### WPM treatment

Debarked wood packaging material, including dunnage (ie loose wood used to wedge or support cargo) is subject to one of the approved measures as specified in the ISPM15 (Revised 2018):

- heat treatment that achieves a temperature of 56 degrees Celsius for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, including its core
- dielectric heating (eg microwave) of wood not exceeding 20cm when

measured across the smallest dimension of the piece or stack — the material must be heated to achieve a minimum temperature of 60 degrees Celsius for one continuous minute throughout the entire profile of the wood, including at its surface

- fumigated with methyl bromide in accordance with <u>requirements described</u> in <u>Annex 1 of ISPM15</u>
- fumigated with sulphuryl fluoride in accordance with requirements described in Annex 1 of ISPM15

The material must also display a mark with the 2-letter ISO country code assigned by the National Plant Protection Organisation (NPPO) of the country concerned. It identifies the producer and the approved measure applied to the WPM as specified in <u>Annex II of ISPM15 1.</u>

## Use of debarked wood

Wood packaging material must be made of debarked wood, irrespective of the type of treatment applied. For this standard, any number of visually separate and clearly distinct small pieces of bark may remain if they are either:

- less than 3cm in width (regardless of the length)
- or greater than 3cm in width, with the total surface area of an individual piece of bark less than 50 square cm

For methyl bromide treatment and sulphuryl fluoride treatments, the bark must be removed before treatment because the presence of bark on the wood can affect the effectiveness of the treatment. For heat treatment, the bark may be removed before or after treatment. When a dimension limitation is specified for a certain type of heat treatment (eg dielectric heating), any bark must be included in the dimension measurement.

# WPM imports from EU Member States and Switzerland

There is no requirement for ISPM15 treatment and marking to be applied to WPM being imported to GB from another EU Member State, except Portugal. However, if WPM has been applied and meets this standard, it will be accepted.

Where ISPM15 treatment and marking have not been applied, and the conifer WPM comes from another EU Member State (except Portugal), the less stringent GB Protected Zone landing requirements detailed below must be applied.

If you're importing conifer wood packaging material originating in Portugal or from certain areas in Spain to Great Britain, the wood must be ISPM15-compliant because of the outbreak of pinewood nematode (PWN) in these countries. Refer to the EU Commission Implementing Decision 2012/535/EU and outbreak information.

# WPM treatment options for WPM from EU Member States

# other than ISPM15 requirements

### Conifer wood

Conifer material shall be either:

- bark-free
- or accompanied by a plant passport issued by a registered forestry trader in an EU Member State declaring that the wood with residual bark originated in an area known to be free of certain bark beetle species
- or kiln dried (KD), marked with a KD mark, and accompanied by a plant passport issued by a registered forestry trader in an EU Member State

The bark-free requirement is stricter than the debarked wood requirement. Bark-free means wood from which all bark has been removed, except in-grown bark around knots, and bark pockets between rings of annual growth has been removed.

### Hardwood

Generally speaking, WPM made from most hardwood timber types are not regulated when they come from other EU Member States, and therefore do not require any treatment or marking. However, wood packaging made from sweet chestnut and plane wood coming from other EU Member States is subject to GB plant health controls.

The specific landing requirements for these controlled hardwoods are not provided in this guidance, because these wood types are not often used in WPM. They can, however, be obtained from the Forestry Commission's Plant Health Service if required. (Find contact information below if you have any queries.)

# **Exemptions**

ISPM15 requirements or other landing requirements do not apply to:

- wood packaging material made entirely from thin wood (6mm thickness or less)
- wood packaging material constructed entirely from processed wood produced by using glue, heat and pressure, or a combination thereof, including plywood, oriented strand board (OSB), medium-density fibreboard (MDF) and other particle board products

These exemptions apply to wood packaging materials originating in EU Member States and Third Countries.

# Phytosanitary and Treatment Certificates

There is no requirement for ISPM15-compliant WPM to be accompanied by a phytosanitary or treatment certificate because the certification is provided

via the application of the ISPM15 mark. This applies to wood packaging materials originating in EU Member States and Third Countries. Certification will not be accepted by an inspector in lieu of an ISPM15 mark applied to the wood packaging material being imported.

# Compulsory import notification procedures for certain goods from China and Belarus

The Forestry Commission GB require all importers of 52 commodities (identified by generic and specific CN Codes) from China and Belarus to provide advance notification of their intention to land any of them. This requirement is as per Commission Implementing Decision (EU) 2018/1137.

The compulsory CN codes and their commodities are:

CN	code	Commodity description
2514	00 00	Slate, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of rectangular (including square) shape
2515		Marble, travertine, ecaussine and other calcareous monumental or building stone of an apparent specific gravity of 2,5 or more, and alabaster, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of rectangular (including square) shape
2516		Granite, porphyry, basalt, sandstone and other monumental or building stone, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape
4401		Fuel wood, in logs, billets, twigs, faggots or similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms
4415		Packing cases, boxes, crates, drums and similar packings, of wood; cable-drums of wood; pallets, box pallets and other load boards, of wood; pallet collars of wood (excl. containers specially designed and equipped for one or more modes of transport)
4415	20	Pallets, box pallets and other load boards, of wood; pallet collars of wood (excl. containers specially designed and equipped for one or more modes of transport)
		Box pallets and other load boards, of wood (excl. containers

- Box pallets and other load boards, of wood (excl. containers 4415 20 90 specially designed and equipped for one or more modes of transport; flat pallets and pallet collars)
- 4415 20 20 Pallets and pallet collars, of wood
- Builders' joinery and carpentry, of wood, incl. cellular wood panels, assembled flooring panels, shingles and shakes, of wood 4418 (excl. plywood panelling, blocks, strips and friezes for parquet flooring, not assembled, and pre-fabricated buildings)
- Other articles of wood, n.e.s. 4421

### CN code

# **Commodity description**

- Hat-forms, hat bodies and hoods of felt, neither blocked to shape nor with made brims; plateaux and manchons, incl. slit manchons, of felt
- 6801 00 00 Setts, curbstones and flagstones, of natural stone (excl. slate)

  Worked monumental or building stone (except slate) and articles thereof, other than goods of heading 6801; mosaic cubes and the like, of natural stone (including slate), whether or not on a
- like, of natural stone (including slate), whether or not on a blocking; artificially coloured granules, chippings and powder, of natural stone (including slate)
- Worked slate and articles of slate or of agglomerated slate (excl. slate granules, chippings and powder, mosaic cubes and the like, slate pencils, and ready-to-use slates or boards with
- like, slate pencils, and ready-to-use slates or boards with writing or drawing surfaces)
- Articles of cement, concrete or artificial stone, whether or not reinforced
- Articles of asbestos-cement, cellulose fibre-cement or the like, containing asbestos
- Refractory bricks, blocks, tiles and similar refractory ceramic constructional goods, other than those of siliceous fossil meals or similar siliceous earths
- 6904 00 Non-refractory ceramic building bricks, flooring blocks, support or filler tiles and the like
- Roofing tiles, chimney pots, cowls, chimney liners, architectural ornaments and other ceramic constructional goods
  - Ceramic pipes, conduits, guttering and pipe fittings (excl. of siliceous fossil meals or similar siliceous earths, refractory
- 6906 00 ceramic goods, chimney liners, pipes specifically manufactured for laboratories, insulating tubing and fittings and other piping for electrotechnical purposes)
- Ceramic flags and paving, hearth or wall tiles; ceramic mosaic cubes and the like, whether or not on a backing (excl. of siliceous fossil meals or similar siliceous earths, refractory goods, tiles specially adapted as table mats, ornamental articles and tiles specifically manufactured for stoves)
  - Household articles and toilet articles, of stoneware (excl. tableware, kitchenware, baths, bidets, sinks and similar sanitary
- 6912 00 83 fixtures, statuettes and other ornamental articles, pots, jars, carboys and similar receptacles for the conveyance or packing of goods)
  - Tableware and kitchenware, of stoneware (excl. statuettes and other ornamental articles, pots, jars, carboys and similar
- 6912 00 23 receptacles for the conveyance or packing of goods, and coffee grinders and spice mills with receptacles made of ceramics and working parts of metal)
- Flat-rolled products of iron or non-alloy steel, of a width
  7210 ≥ 600 mm, hot-rolled or cold-rolled 'cold-reduced', clad, plated
  or coated
- Barbed wire of iron or steel; twisted hoop or single flat wire, 7313 00 barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel

### CN code

7415

# **Commodity description**

- Nails, tacks, drawing pins, corrugated nails, staples and similar articles of iron or steel, whether or not with heads of other material (excl. such articles with heads of copper and staples in strips)
- Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)

Nails, tacks, drawing pins, staples and similar Articles, of copper or with shafts of iron or steel and heads of copper, screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers 'incl. spring washers' and similar articles, of copper (excl. staples in strips, and lag screws, plugs, bungs and the like, threaded)

- 8101 96 Tungsten wire
- 8102 96 Molybdenum wire
- $8205\ 90\ 10$  Anvils; portable forges; hand- or pedal-operated grinding wheels with frameworks
- Grinding, sanding or polishing machines for working wood, cork, bone, hard rubber, hard plastics or similar hard materials (excl. machines for working in the hand and machining centres)

  Agglomerated cork, with or without a hinding substance, and

Agglomerated cork, with or without a binding substance, and articles of agglomerated cork (excl. footwear and parts thereof, insoles, whether or not removable; headgear and parts thereof;

4504 90 80 plugs and dividers for shotgun cartridges; toys, games and sports equipment and parts thereof; blocks, plates, sheets or strips; tiles of any shape; solid cylinders, incl. discs; corks and stoppers)

Paper, paperboard, cellulose wadding and webs of cellulose fibres, in strips or rolls of a width ≤ 36 cm, in rectangular or

4823 90 85 square sheets, of which no side > 36 cm in the unfolded state, or cut to shape other than rectangular or square, and articles of paper pulp, paper, cellulose wadding or webs of cellulose fibres, n.e.s.

Household articles and toilet articles, of stoneware (excl. tableware, kitchenware, baths, bidets, sinks and similar sanitary

- 6912 00 83 fixtures, statuettes and other ornamental articles, pots, jars, carboys and similar receptacles for the conveyance or packing of goods)
- Gold, incl. gold plated with platinum, in semi-manufactured forms, for non-monetary purposes (excl. sheets and strips of a thickness, excl. any backing, of > 0,15 mm and plates, bars, rods, wire and sections)
- Platinum in semi-manufactured forms (excl. sheets and strips of a 7110 19 80 thickness, excl. any backing, of > 0,15 mm and plates, bars, rods, wire and sections)
- Precision tubes, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled 'cold-reduced' (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)

# **Commodity description**

Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled 'cold-

- 7304 41 00 reduced' (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)
- Spark-ignition reciprocating piston engine, of a kind used for 8407 33 20 vehicles of chapter 87, of a cylinder capacity > 250 cm3 but ≤ 500 cm3
- Spark-ignition reciprocating piston engine, of a kind used for 8407 33 80 vehicles of chapter 87, of a cylinder capacity > 500 cm3 but ≤ 1 000 cm3
- 8424 49 10 Agricultural or horticultural liquid/powder sprayers designed to be mounted on or drawn by a tractor
- Agricultural or horticultural mechanical appliances, whether or 8424 82 90 not hand-operated, for projecting or dispersing liquids or powders (excl. sprayers and watering appliances)
- Mechanical appliances for projecting, dispersing, or spraying 8424 89 40 liquids or powders, of a kind used solely or principally for the manufacture of printed circuits or printed circuit assemblies
- 8424 89 70 Mechanical appliances, whether or not hand-operated, for projecting, dispersing or spraying liquids or powders, n.e.s.
- 8467 29 51 Angle grinders for working in the hand, with self-contained electric motor, operating with an external source of power
- $^{\rm 8544}$  19  $^{\rm 90}$  Winding wire for electrical purposes, of material other than copper, insulated
- Electric wire and cables, for a voltage ≤ 1 000 V, insulated, 8544 49 91 not fitted with connectors, with individual conductor wires of a diameter > 0,51 mm, n.e.s.

Brakes and servo-brakes and their parts, for the industrial assembly of: pedestrian-controlled tractors, motor cars and vehicles principally designed for the transport of persons,

8708 30 10 vehicles for the transport of goods with compression-ignition internal combustion piston engine 'diesel or semi-diesel engine' ≤ 2 500 cm3 or with spark-ignition internal piston engine ≤ 2 800 cm3, special purpose motor vehicles of heading 8705, n.e.s.

Gear boxes and parts thereof, for the industrial assembly of: pedestrian-controlled tractors, motor cars and vehicles principally designed for the transport of persons, vehicles for

the transport of goods with compression-ignition internal combustion piston engine 'diesel or semi-diesel engine' of a cylinder capacity ≤ 2 500 cm3 or with spark-ignition internal piston engine of a cylinder capacity ≤ 2 800 cm3, special purpose motor vehicles of heading 8705, n.e.s

Radiators and parts thereof, for the industrial assembly of: pedestrian-controlled tractors, motor cars and vehicles principally designed for the transport of persons, vehicles for the transport of goods with compression ignition internal

the transport of goods with compression-ignition internal combustion piston engine 'diesel or semi-diesel engine' of a cylinder capacity ≤ 2 500 cm3 or with spark-ignition internal piston engine of a cylinder capacity ≤ 2 800 cm3, special purpose motor vehicles of heading 8705 , n.e.s

### CN code

# **Commodity description**

Silencers 'mufflers' and exhaust pipes, and parts thereof, for the industrial assembly of: pedestrian-controlled tractors, motor cars and vehicles principally designed for the transport of persons, vehicles for the transport of goods with compressionignition internal combustion piston engine 'diesel or semi-diesel engine' \leq 2 500 cm3 or with spark-ignition internal piston engine \leq 2 800 cm3, special purpose motor vehicles of heading 8705, n.e.s

Notification must be made using the <u>'Notice of landing form'</u> and sent by email to the local Forestry Commission or DAERA-NI/Forest Service plant health inspector. This form is also used as the Quarantine Release Certificate (QRC) notification form.

The importer or their agent should provide at least 3 working days' notice of their intention to land controlled material via sea freight, and at least 4 working hours' notice for material landed via airfreight. Importers are encouraged to provide as much notice as possible to help with prompt clearance of consignments, which will be beneficial in terms of time and costs.

## Plant health for WPM with commodities from China and Belarus

Our inspector will then liaise with the importer/agent and advise them of those entries which will be held at the point of entry for a physical plant health check, using either a Port Inventory System hold or a direct hold request to HMRC. Inspectors aim to advise importers/agents within 24 hours (excluding weekends and bank holidays) of receiving the Notification of Landing form1 that a consignment will be held for inspection or cleared without examination (CWE).

Inspectors are therefore directly responsible for selecting for inspection the entries that they are notified of on a minimum frequency hold basis of 15%. This enables us to effect the EU's 15% minimum inspection level more readily, because inspectors can identify those consignments which potentially contain high-risk solid wood packaging material (WPM), and provide a clear automatic entry of the other consignments.

The entries we select for inspection will only be released from a Port Inventory System hold after our inspection has been carried out and/or the necessary quarantine release certificate (QRC) is endorsed by our inspectors and presented by the importer/agent to HMRC at the National Clearance Hub (NCH) in Salford for a Customs CHIEF Entry System release.

Additionally, we may select for inspection any consignment which, in the inspector's opinion, has potentially high-risk wood packaging material associated with it, regardless of the type of commodity being shipped. This might mean that importers/agents of the eight commodities listed above will have other commodities selected for inspection in addition to the minimum of 15% associated with stone and iron imports from China and Belarus.

For enquiries, or information which might assist targeted plant health checks on wood packaging material associated with imports of stone or iron materials from China, phone 0300 067 5155 or email plant.health@forestry.gsi.gov.uk

# Exporters' guide to ISPM15 compliant packaging — UK Wood Packaging Material Marking

Find out if countries you are exporting to <u>require ISPM15 compliant</u> <u>packaging.</u>

You can become a member of the UK Wood Packaging Material Marking Programme (UKWPMMP). Members get email updates to country guides as soon as they become available.

# Contact us

Email: plant.health@forestry.gsi.gov.uk

Phone: 0300 067 5155