

## **Notice: Skanska UK PLC: application made to abstract water**

The Environment Agency consult the public on certain applications for the abstraction and impoundment of water.

These notices explain:

- what the application is about
- which Environment Agency offices you can visit to see the application documents on the public register
- when you need to comment by

---

## **Consultation outcome: Water supply and sewerage licensing: updating security and emergency measures directions**

*Updated:* Summary of responses including government response added.

We want to know what you think about our proposals to update the wording used in the Security and Emergency Measures (Water Undertakers) Direction 2006. We propose changing 'licensed water supplier' to 'water supply licensee' to take into account changes to the water industry as part of the WSSL regime.

We're also seeking views on our proposal to issue a new general direction which would apply to all water supply licensees meeting certain conditions. This general direction would replace specific directions that have previously been issued to individual companies.

These directions set out how we expect water suppliers to respond to an emergency.

---

## **Notice: LN8 3PU, Old Chicken Farm**

## [Limited: environmental permit issued](#)

The Environment Agency publish permits that they issue under the Industrial Emissions Directive (IED).

This decision includes the permit and decision document for:

- Operator name: Old Chicken Farm Limited
- Installation name: Old Chicken Farm
- Permit number: EPR/UP3436DL

---

## [News story: Sellafield incident report – powder spillage \(14 June 2017\)](#)

While carrying out analysis work in a Sellafield site laboratory, a worker spilled approximately 1kg of depleted uranium trioxide powder while moving a container.

The material is not harmful unless ingested or inhaled.

The correct safety procedures were followed and the immediate area was evacuated before returning to normal service on the same day.

Health checks confirmed the worker suffered no ill effects.

An internal investigation is being carried out.

The event has been rated 1 (anomaly) on the [International Nuclear Events Scale](#)

Sellafield is regulated by the [Office for Nuclear Regulation](#) and the [Environment Agency](#)

[See details of incidents at Sellafield before 1 August 2017](#)

---

## [Corporate report: Coal Authority sustainability report 2016-17](#)

The Coal Authority's vision to be a 'world leader in resolving the impacts of

mining' requires them to operate both sustainably and responsibly. This report provides details of their performance over the past 12 months and their responsibilities as a global citizen for the long term sustainability of our planet and future generations.