

# Health and Safety Executive inspections focus on occupational lung disease

The Health and Safety Executive (HSE) is inspecting fabricated metal businesses across Great Britain to check that they are managing the respiratory risks of welding fumes and metalworking fluids.

From today, World Asthma Day 2021, health and safety inspectors across GB will be targeting businesses whose workers undertake welding and use metalworking fluids to check that they are complying with the [welding fumes guidance](#) and [metalworking fluid guidance](#). During the visits, dutyholders will need to demonstrate they have measures in place to manage risks to protect their workers from [occupational lung disease](#) and 'WorkRight' to keep workers healthy and safe.

Last year in the UK, 12,000 people died from lung diseases estimated to be linked to past exposure, from work in a range of sectors. There is scientific evidence that exposure to welding fumes can cause lung cancer and exposure to metalworking fluids can cause a range of lung diseases, including occupational asthma and occupational hypersensitivity pneumonitis (OHP), which are debilitating diseases with life changing impact.

Inspectors will be looking for evidence of employers and workers knowing the risks, planning their work and using the right controls to protect workers' health. If necessary, they will use enforcement to make sure workers are protected.

While the primary focus will be on lung health during this programme of inspections, if an HSE inspector identifies any other areas of concern, they will take the necessary enforcement action to ensure these are dealt with. This will include making sure that businesses are COVID-secure and doing all they can to protect their workers from the risk of coronavirus.

HSE's Acting Head of Manufacturing and Utilities Unit, Clare Owen, said: "12,000 people died last year from lung diseases estimated to be linked to past exposure from work, with thousands more cases of ill-health and working days lost. We want businesses whose workers use metalworking fluids and undertake welding activities to take action now to protect their workers' respiratory health.

"Through visiting metal fabrication businesses, our inspectors are able to speak to a range of dutyholders and look at the measures they have in place to comply with the law and protect workers from lung diseases such as occupational asthma and lung cancer.

"Our inspection initiative aims to ensure employers and workers are aware of the risks associated with the activities they do. They must recognise these

dangers and manage these risks through reducing exposure. Dutyholders need to do the right thing, for example, through completing a risk assessment, ensuring workers are trained and reducing exposure using local exhaust ventilation (LEV) and using suitable respiratory protective equipment (RPE) to protect workers, where required.”

For more information on the programme of inspections follow the campaign on Twitter at @H\_S\_E or on Facebook @hsegovuk. You can also join the conversation at #WorkRight and sign up for HSE’s [e-bulletin here](#).

#### Notes to Editors:

1. The Health and Safety Executive (HSE) is Britain’s national regulator for workplace health and safety. We prevent work-related death, injury and ill health through regulatory actions that range from influencing behaviours across whole industry sectors through to targeted interventions on individual businesses. These activities are supported by globally recognised scientific expertise. [hse.gov.uk](http://hse.gov.uk)
2. HSE news releases are available at <http://press.hse.gov.uk>
3. The inspection programme will be supported by HSE’s ‘WorkRight’ campaign, aimed to influence employer behaviour by encouraging fabricated metal businesses to download free guidance and advice, increasing knowledge and capability to protect workers’ health.

The post [Health and Safety Executive inspections focus on occupational lung disease](#) appeared first on [HSE Media Centre](#).

---

## [Construction company fined for failing to comply with Work at Height Regulations](#)

A construction company has been fined after putting employees at significant risk of a fall from height while working on a roof.

Blackpool Magistrates’ Court heard how on two occasions, 10 and 11 July 2019,

two employees of Ron Richardson Construction Ltd were observed waterproofing a flat roof at fifth floor level in Harrow Place, Blackpool close to an unprotected edge without the means to prevent a fall. The workers were not being monitored and had accessed the roof to do the work as they were unable to carry out the task from below with the equipment, which had been provided for them.

Enforcement Notices had previously been served against the company for work at height failures at the same site.

An investigation by the Health and Safety Executive (HSE) found that the company had not followed its own procedures and was not sufficiently supervising the work. Suitable edge protection to prevent a fall from height was not provided and the workers had not been given sufficient training in working safely on roofs.

Ron Richardson Construction Limited of Seneca House, Links Point, Amy Johnson Way, Blackpool pleaded guilty to breaching Regulation 4 (1) of The Work at Height Regulations 2005. They were fined £18,000 and ordered to pay costs of £3,342.

Speaking after the hearing HSE inspector Christine McGlynn said: "The dangers here could have been mitigated with adequate planning and supervision of the work undertaken.

"Companies should be aware that HSE will not hesitate to take appropriate enforcement action against those that fail to heed advice and continue to breach health and safety legislation."



**Notes to Editors:**

1. The Health and Safety Executive (HSE) is Britain's national regulator for workplace health and safety. We prevent work-related death, injury and ill health through regulatory actions that range from influencing behaviours across whole industry sectors through to targeted interventions on individual businesses. These activities are supported by globally recognised scientific expertise. [www.hse.gov.uk](http://www.hse.gov.uk)
2. More about the legislation referred to in this case can be found at: [www.legislation.gov.uk/](http://www.legislation.gov.uk/)
3. HSE news releases are available at <http://press.hse.gov.uk>
4. More information regarding working with overhead power lines can be found at [Construction – Roof work industry health & safety \(hse.gov.uk\)](http://www.hse.gov.uk/construction/roofwork/)

The post [Construction company fined for failing to comply with Work at Height Regulations](#) appeared first on [HSE Media Centre](#).

---

## [Construction firm fined after workers exposed to asbestos](#)

A construction company has been fined after workers were exposed to asbestos whilst refurbishing a flat in St John's Wood, Westminster.

Westminster Magistrates' Court heard that between 14 May and 31 August 2018, ASAI Construction Ltd, the Principal Contractor for the project, failed to obtain a Refurbishment and Demolition asbestos survey prior to commencing work on site. During the project ASAI Construction Ltd was made aware by a subcontractor that there was asbestos containing material (ACM) within the flat, however the company allowed work to continue and failed to ensure that the ACMs were removed safely. As a result, several people were exposed to asbestos fibres over a prolonged period.

An investigation by the Health and Safety Executive (HSE) found that ASAI Construction Ltd failed to take reasonably practicable steps to prevent the people working on site being exposed to asbestos.

ASAI Construction Ltd of Harrowdene Road, Wembley pleaded guilty to breaching Section 3(1) of the Health and Safety at Work etc Act 1974. The company was fined £30,000 and ordered to pay costs of £2,837.

Speaking after the hearing, HSE inspector Owen Rowley said: "There are currently more than 5,000 asbestos-related deaths each year in the UK. Any asbestos on site should be identified before refurbishment or demolition work takes place and suitable steps must be taken to control the risk of exposure.

"In this case ASAI Construction Ltd's failure to manage the risk of exposure to asbestos was compounded by their lack of response when concerns were raised regarding its presence on site.

"Companies should be aware that HSE will not hesitate to take appropriate

enforcement action against those that fall below the required standards.”

#### Note to editors

1. The Health and Safety Executive (HSE) is Britain’s national regulator for workplace health and safety. We prevent work-related death, injury and ill health through regulatory actions that range from influencing behaviours across whole industry sectors through to targeted interventions on individual businesses. These activities are supported by globally recognised scientific expertise. [www.hse.gov.uk](http://www.hse.gov.uk)
2. More about the legislation referred to in this case can be found at: [www.legislation.gov.uk/](http://www.legislation.gov.uk/)
3. HSE news releases are available at: <http://press.hse.gov.uk>
4. More information regarding asbestos health and safety can be found at <https://www.hse.gov.uk/asbestos/>

The post [Construction firm fined after workers exposed to asbestos](#) appeared first on [HSE Media Centre](#).

---

## [Port fined after employee suffers life changing injuries in truck incident](#)

The Port of Sheerness Limited, one of the core terminals of Peel Ports London Medway, has been fined following an incident where an employee was seriously injured by a clamp truck.

Folkstone Magistrates’ Court heard that on 28 October 2018, an employee was hit by a five tonne clamp truck in a paper reel shed on the Sheerness Port. The employee sustained an open leg fracture and was knocked unconscious. He was subsequently airlifted to hospital and had to have his leg amputated.

An investigation by the Health and Safety Executive (HSE) into the incident found that the Port of Sheerness Limited failed to ensure pedestrians and vehicles could circulate and operate safely, putting the employee and others at significant risk. Supervisors were frequently working amongst five to six clamp trucks whilst undertaking the supervision of the paper reel unloads. It was found that there had been previous incidents where supervisors had been in close proximity of the vehicle operations on the port and had been hit by vehicles or product. Port of Sheerness Limited had only reviewed the immediate work relating to the incidents.

Port of Sheerness Limited of Sheerness Docks, Sheerness, Kent pleaded guilty to breaching Section 2 of the Health and Safety at Work Act 1974. They were fined £60,000 and ordered to pay costs of £10,886.

Speaking after the hearing, HSE inspector Joanne Williams said: “This incident has resulted in life changing injuries in a wholly avoidable incident, caused by the failure of the company to identify the roles of the

supervisors in the reel sheds and how the work was actually being undertaken.

“They did not learn from the previous incidents involving supervisors and lift trucks to review supervisory activities across the port. There is no excuse for companies that neglect this risk.

“Pedestrians, whether they are employees or not, should be kept separate from these types of vehicles through physical barriers or safe systems of work that are clear and well supervised.

“Every year many people are killed or seriously injured in incidents involving workplace transport, and there are significant risks associated with operating vehicles on ports, particularly when, as in this case, the vehicles have restricted visibility due to the lifting of large paper reels. These risks can be easily controlled using reasonably practicable precautions.”

**Notes to Editors:**

1. The Health and Safety Executive (HSE) is Britain’s national regulator for workplace health and safety. We prevent work-related death, injury and ill health through regulatory actions that range from influencing behaviours across whole industry sectors through to targeted interventions on individual businesses. These activities are supported by globally recognised scientific expertise. [www.hse.gov.uk](http://www.hse.gov.uk)
2. More about the legislation referred to in this case can be found at: [www.legislation.gov.uk/](http://www.legislation.gov.uk/)
3. HSE news releases are available at <http://press.hse.gov.uk>
4. Guidance can be found on the HSE web site: <http://www.hse.gov.uk/pubns/books/hsg136.htm>  
<https://www.hse.gov.uk/ports/index.htm>

The post [Port fined after employee suffers life changing injuries in truck incident](#) appeared first on [HSE Media Centre](#).

---

## **[Two construction companies fined after worker seriously injured in excavation collapse](#)**

Auberne Homes Limited and groundworks contractor W & E Lammie have been fined after an employee of W & E Lammie was crushed and severely injured during an excavation collapse.

Ayr Sherriff Court heard that, on 20 February 2018, employees of W & E Lammie were carrying out drainage works within an excavation at a construction site at Holmhead Gardens, Cumnock, when a section of the unsupported wall of the

excavation collapsed and crushed one of the employees, causing serious injuries.

An investigation by the Health and Safety Executive (HSE) identified that W & E Lammie failed to plan the precautions or practicable steps necessary to prevent danger to any person entering the excavation, failed to provide supports or battering to ensure the excavation did not collapse and failed to provide appropriate training and supervision to the employees carrying out the drainage works. The investigation also identified that in their role as principal contractor, Auberne Homes Limited, failed to plan, manage and monitor the drainage works being carried out on their construction project.

W & E Lammie, a now dissolved partnership, having previously had a place of business at Muirkirk Road, Cumnock pled guilty to breaching Regulation 15(2) of The Construction (Design and Management) Regulations 2015 and were fined £18,000.

Auberne Homes Limited, of Beresford Court, Ayr pled guilty to breaching Regulation 13(1) of The Construction (Design and Management) Regulations 2015 and were fined £35,000.

Speaking after the hearing, HSE inspector Duncan Officer said: "This incident could so easily have been avoided had the excavation work been properly planned and carried out by suitably trained individuals to ensure that the appropriate safety measures were implemented to prevent excavation collapse. Had the principal contractor carried out suitable checks they could have been identified that those carrying out the work were untrained and that safe working practices were not being followed on site.

"The requirement for control measures and safe working practices during excavation work are well-known in the construction industry. HSE will not hesitate to take appropriate enforcement action against those responsible for the excavation works and those in control of the construction site where these required standards are not met."

#### Notes to Editors:

1. The Health and Safety Executive (HSE) is Britain's national regulator for workplace health and safety. We prevent work-related death, injury and ill health through regulatory actions that range from influencing behaviours across whole industry sectors through to targeted interventions on individual businesses. These activities are supported by globally recognised scientific expertise. [www.hse.gov.uk](http://www.hse.gov.uk)
2. More about the legislation referred to in this case can be found at: [www.legislation.gov.uk/](http://www.legislation.gov.uk/)
3. HSE news releases are available at <http://press.hse.gov.uk>[3]

The post [Two construction companies fined after worker seriously injured in](#)

[excavation collapse](#) appeared first on [HSE Media Centre](#).